

9-20-00

A

09/18/00

HEWLETT-PACKARD COMPANY

Intellectual Property Administration

P.O. Box 272400

Fort Collins, Colorado 80527-2400

PATENT APPLICATION

ATTORNEY DOCKET NO. 10003223-PO

IN THE U.S. PATENT AND TRADEMARK OFFICE
Patent Application Transmittal LetterASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing under 37 CFR 1.53(b) is a(n): ☒ Utility ☐ Design☒ original patent application,☐ continuation-in-part application

INVENTOR(S): Mark A. Harper et al

TITLE: Localizing Client Purchasing Of Consumables For Hardcopy Output Engine And Method

Enclosed are:

☒ The Declaration and Power of Attorney. ☒ signed ☐ unsigned or partially signed☒ 3 sheets of drawings (one set) ☐ Associate Power of Attorney☒ Form PTO-1449 ☐ Information Disclosure Statement and Form PTO-1449☐ Priority document(s) ☐ (Other) (fee \$)

CLAIMS AS FILED BY OTHER THAN A SMALL ENTITY				
(1) FOR	(2) NUMBER FILED	(3) NUMBER EXTRA	(4) RATE	(5) TOTALS
TOTAL CLAIMS	17 — 20	0	X \$18	\$ 0
INDEPENDENT CLAIMS	3 — 3	0	X \$78	\$ 0
ANY MULTIPLE DEPENDENT CLAIMS	0		\$260	\$ 0
BASIC FEE: Design (\$310.00); Utility (\$690.00)				\$ 690
TOTAL FILING FEE				\$ 690
OTHER FEES				\$
TOTAL CHARGES TO DEPOSIT ACCOUNT				\$ 690

Charge \$ 690 to Deposit Account 08-2025. At any time during the pendency of this application, please charge any fees required or credit any over payment to Deposit Account 08-2025 pursuant to 37 CFR 1.25. Additionally please charge any fees to Deposit Account 08-2025 under 37 CFR 1.16, 1.17, 1.19, 1.20 and 1.21. A duplicate copy of this sheet is enclosed.

"Express Mail" label no. EH862490425US

Date of Deposit Sept. 18, 2000

I hereby certify that this is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

By Terri L. Walker

Typed Name: Terri L. Walker

Respectfully submitted,

Mark A. Harper et al

By Steven R. Ormiston

Steven R. Ormiston

Attorney/Agent for Applicant(s)

Reg. No. 35,974

Date: Sept. 18, 2000

Telephone No.: (208) 396-2544

"Express Mail" mailing label number EH862490425US

Date of Deposit Sept. 18, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" services under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Typed Name of Person Mailing Paper or Fee: Terri L. Walker

Signature: Terri L. Walker

PATENT APPLICATION
DOCKET NO. 10003223-1

**LOCALIZING CLIENT PURCHASING OF CONSUMABLES FOR HARDCOPY
OUTPUT ENGINE AND METHOD**

INVENTORS:

Mark A. Harper
Robert E. Haines

LOCALIZING CLIENT PURCHASING OF CONSUMABLES FOR HARDCOPY OUTPUT ENGINE AND METHOD

FIELD OF THE INVENTION

The invention relates to printers and other hard copy output engines. More particularly, the invention relates to providing an electronic address of a supplier of consumables for a hard copy output engine from that hard copy output engine.

BACKGROUND OF THE INVENTION

As computer systems and data communications systems have developed, the number and variety of hard copy output engines employed in a typical office or factory setting has grown. Examples include photo copiers, facsimile machines, printers and devices including more than one of these capabilities. In turn, this has led to a need to be able to order greater number of consumable supplies, some of which are specific to specific types of hard copy output engines.

As need for these types of hard copy output engines has grown, a number of different manufacturers have developed different hard copy output engines providing different operational characteristics and capabilities. While some consumables associated with these devices are common to most or all such devices (e.g., standardized paper sizes), other consumables, such as toners and toner supply cartridges and fusers, ink reservoirs, rollers and transfer belts, among others, tend to be unique to a specific manufacturer. Additionally, different hard copy output engines may have different paper capacities, capabilities for accepting more or fewer paper sizes and different toner or other pigment supply requirements and capacities.

It is generally helpful to have a mechanism for keeping track of usage of consumables in keeping computer systems functional. For example, it is extremely helpful to ensure that adequate supplies of replacement paper and toner or ink are available when needed.

Coordination of orders for supplies can be very helpful to avoid over- or under-stocking of these consumables, while still achieving the benefits of economies of scale by pooling orders to service multiple hard copy output engines, especially those using at least some of the same consumables.

- 5 However, in many business settings, the sheer number of diverse hard copy output engines being used in different aspects or divisions of the business may lead to confusion in maintaining adequate supplies of these consumables.

What is needed is a way to facilitate provision of data providing a communications link to suppliers of consumables, as well as data describing consumable status, for a network including one or more hard copy output engines.

SUMMARY OF THE INVENTION

In accordance with an aspect of the present invention, a method of programming a memory unit in a hard copy output engine includes determining a geographical area or economic region within which the hard copy output engine is to be deployed, determining an electronic address for a consumables supplier appropriate to the geographical area and programming the electronic address into the memory.

20 In accordance with another aspect of the present invention, a method of obtaining consumable supplies for a hard copy output engine includes determining that an amount of a consumable for the hard copy output engine is less than a threshold amount, extracting an electronic address for a vendor of the consumable from a memory included in the hard copy output engine and initiating communication with the supplier using the electronic address.

In accordance with yet another aspect of the present invention, a computer implemented control system for a hard copy output engine includes a memory configured to store data representing an electronic address for a supplier of consumables for the hard copy output engine and also includes processing circuitry.

30 The processing circuitry is configured to determine that an amount of a consumable for the hard copy output engine is less than a threshold amount, to extract the

electronic address the memory included in the hard copy output engine and to initiate communication with the supplier using the electronic address.

Other features and advantages of the invention will become apparent to those of ordinary skill in the art upon review of the following detailed
 5 description, claims and drawings.

DESCRIPTION OF THE DRAWINGS

Fig. 1 is a simplified block diagram of a computer network including a computer and a hard copy output engine, in accordance with an embodiment of the present invention.

10 Fig. 2 is a simplified flowchart illustrating a process, in accordance with an embodiment of the present invention.

Fig. 3 is a simplified flowchart illustrating a process, in accordance with an embodiment of the present invention.

15 Fig. 4 is a simplified flowchart illustrating a process, in accordance with an embodiment of the present invention.

DETAILED DESCRIPTION OF THE INVENTION

Fig. 1 is a simplified block diagram of a computer network 10 including a computer 12 and a hard copy output engine 14, in accordance with an
 20 embodiment of the present invention. The computer 12 is coupled to the hard copy output engine 14 via a bus 16 allowing either the computer 12 or the hard copy output engine 14 to initiate data communications with the other. In one embodiment, the hard copy output engine 14 is a device such as a printer, copier, mopier, facsimile machine, or a multifunction device capable of providing two or
 25 more such functions. In one embodiment, the system 10 is coupled to an external interconnection 17 via a data path 18. In one embodiment, the data path 18 includes an intranet. In one embodiment, the data path 18 includes a local area network (LAN) or wide area network (WAN). In one embodiment, the data path 18 includes access to the Internet. In one embodiment, the
 30 computer 12 and the hard copy output engine 14 are capable of exchanging

data via a protocol compatible with presence of other computers 12 or hard copy output engines 14 on the bus 16. In one embodiment, the computer 12 and the hard copy output engine 14 employ an object-oriented request-reply protocol supporting asynchronous printer query, control and monitor capabilities, and that is capable of documenting the requests, replies and data types supported by the protocol.

In one embodiment, the data path 18 provides common gateway interface (CGI) data communication capability. In one embodiment, the data path 18 includes an email capability (e.g., simple mail transfer protocol or SMTP) for facilitating data communication. In one embodiment, the data path 18 includes a secure data path using HTTP (hyper text transfer protocol) with SSL (secure sockets layer), as is described in more detail in U.S. Patent No. 5,657,390, entitled "Secure Socket Layer Application Program Apparatus And Method", issued to Elgamal et al. and U.S. Patent No. 6,081,900, entitled "Secure Intranet Access" issued to Subramanian et al., which patents are hereby incorporated herein by reference for their teachings.

The hard copy output engine 14 includes a controller 20, such as a conventional microprocessor or microcontroller. The hard copy output engine 14 also includes one or more sensors 22 coupled to the controller 20 and a memory 24 in data communication with the controller 20. In one embodiment, the memory comprises a non-volatile electrically alterable read only memory (EAROM). In one embodiment, the non-volatile memory 24 includes an electrically programmable read only memory (EPROM). In one embodiment, the non-volatile memory 24 includes a write-once, read-many memory (WORM). In one embodiment, the non-volatile memory 24 includes magnetic, magneto-optic or optical storage media, such as conventional disc storage or floppy disc data storage units, or CD-ROMs or the like. The non-volatile memory unit 24 is capable of being externally programmed with data and then storing the data for extended periods of time during which the hard copy output engine 14 may not have access to an external source of electrical energy (e.g, during shipment

from a manufacturer or distributor of hard copy output engines 14 to an end user or destination geographical area).

The sensors 22 are coupled to consumables associated with the hard copy output engine 14. In one embodiment, when the sensors 22 report that a quantity of a consumable (e.g., paper, toner or ink) associated with the hard copy output engine 14 has decreased to below a predetermined threshold amount, or that malfunction of a dispenser of a consumable exists, the controller 20 initiates a data communication ultimately intended for transmission via the data path 18, as is described below in more detail with reference to Figs. 3 and 4, using data programmed into the hard copy output engine 14, as is described below in more detail with reference to Fig. 2.

Fig. 2 is a simplified flowchart illustrating a process P1, in accordance with an embodiment of the present invention. The process P1 begins with a step S1.

In the step S1, a geographical area or economic region to which the hard copy output engine 14 is to be deployed is determined. The step S1 may be carried out by an original equipment manufacturer, a reseller of hard copy output engines 14 or a purchaser or user of hard copy output engines 14.

In a step S2, an appropriate electronic address for a supplier of consumables for the hard copy output engine 14 is determined for the destination geographical area determined in the step S1. In one embodiment, the electronic address is a URL (universal resource locator) enabling electronic access via the Internet to a supplier or vendor of consumables for the specific hard copy output engine 14 that is to be deployed.

In a step S3, the non-volatile memory 24 in the hard copy output engine is programmed with the electronic address that was determined in the step S2. In one embodiment, other data types may also be programmed into the non-volatile memory 24. For example, a reseller of consumables may have unique part numbers that are programmed into the non-volatile memory 24.

Alternatively, some users, such as volume users, of hard copy output engines 14 may specify options (e.g., black vs. color printing, type of ink etc.) and thus

pre-determine which types of consumables are to be ordered from a particular set of deployment sites for hard copy output engines 14. Once the non-volatile memory 24 has been programmed, the process P1 ends and other acts involved in preparing the hard copy output engine 14 for deployment, such as functional testing and packaging for shipment, may take place.

Fig. 3 is a simplified flowchart illustrating a process P2, in accordance with an embodiment of the present invention. The process P2 begins by determining, in a query task S11, if the electronic address stored in a nonvolatile memory 24 is obsolete. In one embodiment, the query task S11 is carried out in response to the system 10 of Fig. 1 using the stored electronic address to initiate communication with a web page for a vendor or supplier whose address had been stored in the nonvolatile memory 24 previously (e.g., step S3 of process P1).

The vendor or supplier may have determined that a new address will be required and may make that information available via the old address for a period of time. Alternatively, a vendor or supplier, or an original equipment manufacturer, may notify previous clients via an alternative electronic communication path such as email. Other ways of providing new or revised addresses are possible, e.g., the user of the hard copy output engine may be involved in a billing dispute with the previous supplier, or it may be known that the previous supplier has become insolvent or otherwise unable to function.

When the query task S11 determines that the electronic address stored in the non-volatile memory is obsolete, a revised electronic address is obtained in a step S12.

In a step S13, the revised electronic address is programmed into the non-volatile memory 24. In one embodiment, the revised electronic address replaces the electronic address stored in the step S3 of Fig. 2. In one embodiment, the revised electronic address is stored in the non-volatile memory 24 as an alternative to the electronic address stored in the step S3 of Fig. 2. The process P2 then ends. The process P2 provides flexibility in programming of the non-volatile memory 24 and allows for changes due to

revised business conditions, revised user needs (e.g., reduced or increased quality or storage life expectations) and the like.

Fig. 4 is a simplified flowchart illustrating a process P3, in accordance with an embodiment of the present invention. The process P3 begins with a query task S21.

In the query task S21, the controller 20 determines when a supply of a consumable has decreased below a threshold amount. In one embodiment, the sensors 22 of Fig. 1 provide signals to the controller 20 indicative of a remaining amount of consumables. In one embodiment, the sensors 22 provide data indicative of predetermined increments, e.g., 25 %, 50% and the like. In one embodiment, the sensors 22 provide data indicative of actual remaining amounts of consumables. In one embodiment, the threshold amount is user-settable and re-adjustable in response to user commands input via the computer 12, for example. In one embodiment, the sensors 22 are also capable of indicating malfunction or failure of a supply of a consumable, such as a failing toner cartridge that is still functioning but that is unlikely to continue to provide functionality for long or that will shortly provide unacceptable hard copy output quality.

When the query task S21 has determined that the supply of the consumable has decreased below the threshold amount, an external agent is notified of this event in a step S22. The electronic address that had been previously stored in the non-volatile memory 24 is also made available in a step S23. An order is initiated for the consumable in a step S24 using the data from the steps S22 and S23. The process P3 then ends.

In one embodiment, signals are sent to a system administrator for order consolidation via the data path 18 of Fig. 1, along with the programmed information describing the electronic address for the vendor or supplier. In one embodiment, signals exchanged between the hard copy output engine 14 and the computer 12 via, for example, the bus 16, allow the computer 12 to initiate communication with the vendor or supplier via a web page using a URL that had been stored in the non-volatile memory 24. In one embodiment, the data from the non-volatile memory 24 invoke a servlet, as described in more detail in U.S. Patent No. 6,012,098, entitled

"Servlet Pairing For Isolation Of The Retrieval And Rendering Of Data" and issued to E.N. Bayeh et al., which patent is hereby incorporated herein by reference.

The protection sought is not to be limited to the disclosed
embodiments, which are given by way of example only, but instead is to be
5 limited only by the scope of the appended claims.

003760-01259360

CLAIMS

What is claimed is:

- 1 1. A method of programming a memory unit in a hard copy output
2 engine comprising:
3 determining a geographical area within which the hard copy output
4 engine is to be deployed;
5 determining an electronic address for a consumables supplier
6 appropriate to the geographical area; and
7 programming the electronic address into the memory.
- 1 2. The method of claim 1, wherein determining an electronic
2 address comprises determining a universal resource locator for an original
3 equipment manufacturer.
- 1 3. The method of claim 1, wherein determining an electronic
2 address comprises determining a universal resource locator for a reseller of
3 consumable supplies associated with the hard copy output engine.
- 1 4. The method of claim 1, further comprising programming the
2 memory with product descriptors for consumable supplies associated with the
3 hard copy output engine.
- 4 5. The method of claim 1, further comprising:
5 determining that the electronic address for the consumables supplier is
6 obsolete;
7 determining a revised electronic address for a consumables supplier
8 appropriate to the geographical area; and
9 re-programming the memory with the revised electronic address to
10 replace the obsolete electronic address.

1 6. The method of claim 1, wherein the hard copy output engine is
2 chosen from a group consisting of: facsimile machines, photocopiers and
3 printers.

1 7. The method of claim 1, wherein determining an electronic
2 address for comprises determining a universal resource locator for a vendor
3 chosen from a group consisting of: an original equipment manufacturer, a
4 reseller or a supplier of office supplies including hard copy output engine
5 consumables.

1 8. A method of obtaining consumable supplies for a hard copy output
2 engine comprising:
3 determining that an amount of a consumable for the hard copy output
4 engine is less than a threshold amount;
5 extracting an electronic address for a vendor of the consumable from a
6 memory included in the hard copy output engine; and
7 initiating communication with the supplier using the electronic address.

1 9. The method of claim 8, wherein extracting an electronic address
2 comprises extracting a universal resource locator.

1 10. The method of claim 8, wherein extracting an electronic address
2 comprises extracting a universal resource locator for a vendor of consumables
3 appropriate to a geographical area within which the hard copy output engine is
4 deployed.

1 11. The method of claim 8, wherein initiating communication includes
2 transmitting an electronic message ordering a predetermined quantity of the
3 consumable determined to be present in an amount less than the threshold amount.

1 12. The method of claim 8, wherein determining is in response to a
2 sensor in the hard copy output engine sensing that an amount of the consumable is
3 less than the threshold amount.

1 13. The method of claim 8, wherein initiating communication
2 comprises initiating a servlet.

1 14. The method of claim 8, wherein the hard copy output engine is
2 chosen from a group consisting of: facsimile machines, photocopiers and printers.

1 15. A computer implemented control system for a hard copy output
2 engine, the system comprising:
3 memory included in the hard copy output engine and configured to store
4 data representing an electronic address for a supplier of consumables for the hard
5 copy output engine; and
6 processing circuitry configured to:
7 determine that an amount of a consumable for the hard copy
8 output engine is less than a threshold amount;
9 extract the electronic address from the memory; and
10 initiate communication with the supplier using the electronic
11 address.

1 16. The computer implemented control system of claim 15, wherein
2 the processor configured to extract an electronic address comprises a processor
3 configured to extract a universal resource locator for a vendor of consumables
4 appropriate to a geographical area within which the hard copy output engine is
5 deployed.

1 17. The computer implemented control system of claim 15, wherein
2 the processor configured to initiate communication includes a processor configured
3 to transmit an electronic message ordering a predetermined quantity of the
4 consumable determined to be present in an amount less than the threshold amount.

ABSTRACT

A method of programming a memory unit in a hard copy output engine includes determining a geographical area or economic region within which the hard copy output engine is to be deployed, determining an electronic address for a consumables supplier appropriate to the geographical area and programming
5 the electronic address into the memory.








FIG. 1

2/3



005740-001500




FIG. 3

**DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION**ATTORNEY DOCKET NO. 10003223-1

As a below named inventor, I hereby declare that:

My residence/post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Localizing Client Purchasing Of Consumables For Hardcopy Output Engine And Method

the specification of which is attached hereto unless the following box is checked:

() was filed on _____ as US Application Serial No. or PCT International Application Number _____ and was amended on _____ (if applicable).

I hereby state that I have reviewed and understood the contents of the above-identified specification, including the claims, as amended by any amendment(s) referred to above. I acknowledge the duty to disclose all information which is material to patentability as defined in 37 CFR 1.56.

Foreign Application(s) and/or Claim of Foreign Priority

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 of any foreign application(s) for patent or inventor(s) certificate listed below and have also identified below any foreign application for patent or inventor(s) certificate having a filing date before that of the application on which priority is claimed:

COUNTRY	APPLICATION NUMBER	DATE FILED	PRIORITY CLAIMED UNDER 35 U.S.C. 119
			YES: _____ NO: _____
			YES: _____ NO: _____

Provisional Application

I hereby claim the benefit under Title 35, United States Code Section 119(e) of any United States provisional application(s) listed below:

APPLICATION SERIAL NUMBER	FILING DATE

U. S. Priority Claim

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION SERIAL NUMBER	FILING DATE	STATUS (patented/pending/abandoned)

POWER OF ATTORNEY:

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith:

Customer Number **022879**Place Customer
Number Bar Code
Label here

Send Correspondence to:
HEWLETT-PACKARD COMPANY
Intellectual Property Administration
P.O. Box 272400
Fort Collins, Colorado 80527-2400

Direct Telephone Calls To:

Matthew L. Wade
(208) 396-5263

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Inventor: **Mark A. Harper**Citizenship: **US**Residence: **23936 View Crest Lane, Middleton, ID 83644**Post Office Address: **Same as residence**

Mark A. Harper
 Inventor's Signature

9/18/2000
 Date


**DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION (continued)**

ATTORNEY DOCKET NO. 10003223-1

Full Name of # 2 joint inventor: Robert E. Haines Citizenship: US

Residence: 11850 Alfred St., Boise, ID 83713

Post Office Address: Same as residence


Inventor's Signature

SEPT 1/2000
Date

Full Name of # 3 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature Date

Full Name of # 4 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature Date

Full Name of # 5 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature Date

Full Name of # 6 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature Date

Full Name of # 7 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature Date

Full Name of # 8 joint inventor: _____ Citizenship: _____

Residence: _____

Post Office Address: _____

Inventor's Signature Date